Title: USE OF ETODOLAC FOR THE TREATMENT OF CHRONIC LYMPHOCYTIC LEUKEMIA

Page 2 Dkt: 103.014US3

In the Claims

Please amend claims 1 and 2 as follows:

1. (Currently amended) A method of reducing the viability of leukemia cells in a mammal sensitive to a 1-(R) compound of formula (II):

$$R^{6}$$
 R^{7}
 R^{7}
 R^{1}
 $Y-Z$
 (III)

wherein R^1 is lower alkyl, lower alkenyl, lower alkynyl, lower cycloalkyl, phenyl or benzyl, R^2 , R^3 , R^4 and R^5 are the same or different and are each hydrogen or lower alkyl; R^6 is hydrogen, lower alkyl, hydroxy, lower alkoxy, benzyloxy, lower alkanoyloxy, nitro or halo, R^7 is hydrogen, lower alkyl or lower alkenyl; X is oxy; Y is carbonyl or $(C_1.C_3)$ alkyl(CO), wherein each alkyl is substituted with 0-2 (C_1-C_4) alkyl, and Z is hydroxy, lower alkoxy, amino, lower alkylamino, di(lower)alkylamino or phenylamino;

comprising administering the (R)-compound of formula (II); or a salt thereof to a cancer patient afflicted with a leukemia so as to achieve a plasma level of the compound in the mammal of about 200 μ M to 600 μ M.

2. (Currently amended) A method of increasing the susceptibility of leukemia cells in a mammal to a chemotherapeutic agent comprising contacting the cells with a compound of formula (II):

Page 3 Dkt: 103.014US3

$$\begin{array}{c|c}
R^5 & R^4 \\
R^7 & X \\
R^7 & R^1 & Y-Z
\end{array}$$
(II)

wherein R^1 is lower alkyl, lower alkenyl, lower alkynyl, lower cycloalkyl, phenyl or benzyl, R^2 , R^3 , R^4 and R^5 are the same or different and are each hydrogen or lower alkyl; R^6 is hydrogen, lower alkyl, hydroxy, lower alkoxy, benzyloxy, lower alkanoyloxy, nitro or halo, R^7 is hydrogen, lower alkyl or lower alkenyl; X is oxy; Y is carbonyl or $(C_1.C_3)$ alkyl(CO), wherein each alkyl is substituted with 0-2 (C_1-C_4) alkyl, and Z is hydroxy, lower alkoxy, amino, lower alkylamino, di(lower)alkylamino or phenylamino;

or a pharmaceutically acceptable salt thereof so as to achieve a plasma concentration of the compound in the mammal of about 200 μM to 600 μM .

Claims 3-4 (Cancelled).

- 5. (Previously presented) The method of claim 1 wherein the compound of formula (II) is administered in a single dose.
- 6. (Previously presented) The method of claim 2 wherein the compound of formula (II) is administered in a single dose.
- 7. (Previously presented) The method of claim 1 wherein the compound of formula (II) is administered in divided doses.
- 8. (Previously presented) The method of claim 2 wherein the compound of formula (II) is administered in divided doses.

Page 4 Dkt: 103.014US3

Claims 9-10 (Cancelled).

- 11. (Original) The method of claim 1 wherein the leukemia is chronic lymphocytic leukemia.
- 12. (Original) The method of claim 2 wherein the leukemia is chronic lymphocytic leukemia.
- 13. (Previously presented) The method of claim 1 wherein the mammal is a human.
- 14. (Previously presented) The method of claim 2 wherein the mammal is a human.

Claim 15 (Cancelled).

- 16. (Original) The method of claim 1 wherein the compound of formula (II) or the salt thereof is administered orally.
- 17. (Original) The method of claim 2 wherein the compound of formula (II) or the salt thereof is administered orally.
- 18. (Original) The method of claim 1 wherein the compound of formula (II) is R(-) etodolac.
- 19. (Original) The method of claim 2 wherein the compound of formula (II) is R(-)-etodolac.

Claims 20 (Cancelled).